



COB Candy 1K Transparent Colour “Dye/Ink”

Description

Transparent colour which is applied over the appropriate base colour. Must be followed with clear lacquer.

Mixing Ratio

Your paint will already have been thinned, unless you have requested otherwise. The mixing ratio of paint with solvent thinner is 2:1.

Application

Spray viscosity at 20 °C: 14”-15” DIN 4; HS CYCLE: 20-22” DIN4

Air cap: 1.2-1.5 mm

Air pressure: 45-50psi

N° of coats: 2 - 3 (approximately)

Please note the number of coats will affect the final colour, thus a test spray comparison should be made with the original paintwork before applying paint to the vehicle. Do not apply a thick film. The colour will darken with more coats. Use of the correct base is vital.

Drying Times

Air drying at 20°C

Allow 15 minutes between coats. Allow to dry for 30 minutes in a dust free environment. Apply clear lacquer.