

## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

### 1 Identification of the substance/preparation and of the company/undertaking

For professional use only

- **Product details**
- **Trade name:** Anti-Static Panelwipe
- **Article number:** 2226
- **Application of the substance / the preparation** Coating compound/ Surface coating/ paint
- **Manufacturer/Supplier:**  
HMG PAINTS LTD. RIVERSIDE WORKS, COLLYHURST RD,  
COLLYHURST, MANCHESTER, M40 7RU.  
TEL 0161 205 7631
- **Further information obtainable from:** LABORATORY
- **Information in case of emergency:** [scrossman@hmgpaint.com](mailto:scrossman@hmgpaint.com)

### 2 Hazards identification

· **Hazard description:**



Xn Harmful  
F Highly flammable  
N Dangerous for the environment

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Has a narcotizing effect.

R 11 Highly flammable.

R 38 Irritating to skin.

R 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R 65 Harmful: may cause lung damage if swallowed.

R 67 Vapours may cause drowsiness and dizziness.

· **Classification system:**

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### 3 Composition/information on ingredients

· **Chemical characterization**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

	Petroleum distillate Xn, Xi, F, N; R 11-38-51/53-65-67	25-50%
CAS: 64741-84-0 EINECS: 265-086-6	Naphtha (petroleum), solvent-refined light Xn, F, N; R 11-51/53-65	25-50%

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

### 4 First-aid measures

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

Trade name: Anti-Static Panelwipe

(Contd. of page 1)

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

## 5 Fire-fighting measures

- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Protective equipment:** Put on breathing apparatus

## 6 Accidental release measures

- **Person-related safety precautions:** Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:**  
Prevent seepage into sewage system, workpits and cellars.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.

## 7 Handling and storage

- **Handling:**
- **Information for safe handling:** Keep receptacles tightly sealed.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep receptacle tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

Petroleum distillate	
WEL	Long-term value: 500 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.

(Contd. on page 3)

GB

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

**Trade name: Anti-Static Panelwipe**

(Contd. of page 2)

· **Protection of hands:**

When skin exposure may occur, advice should be sought from the glove supplier on appropriate types and usage times for this product.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **General Information**

<b>Form:</b>	Fluid
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Characteristic

· **Change in condition**

**Melting point/Melting range:** Undetermined.  
**Boiling point/Boiling range:** 98°C

· **Flash point:** -4°C

· **Ignition temperature:** 215°C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

<b>Lower:</b>	1.1 Vol %
<b>Upper:</b>	6.7 Vol %

· **Vapour pressure at 20°C:** 48 hPa

· **Density at 20°C:** 0.7 g/cm<sup>3</sup>

· **Solubility in / Miscibility with water:** NOT MISCIBLE

· **Solvent content:**

**Organic solvents:** 100.0 %

GB

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

Trade name: Anti-Static Panelwipe

(Contd. of page 3)

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** No dangerous reactions known.
- **Dangerous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Acute toxicity:**
- **Primary irritant effect:**
  - **on the skin:** Irritant to skin and mucous membranes.
  - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

## 12 Ecological information

- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **General notes:**  
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms

## 13 Disposal considerations

- **Product:**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 33
- **UN-Number:** 1263
- **Packaging group:** II
- **Hazard label** 3

(Contd. on page 5)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

Trade name: Anti-Static Panelwipe

(Contd. of page 4)

· **Description of goods:** 1263 PAINT (vapor pressure at 50°C at most 110 kPa)

· **Maritime transport IMDG:**



· **IMDG Class:** 3  
 · **UN Number:** 1263  
 · **Label:** 3  
 · **Packaging group:** II  
 · **EMS Number:** F-E,S-E  
 · **Marine pollutant:** No  
 · **Proper shipping name:** PAINT

· **Air transport ICAO-TI and IATA-DGR:**



· **ICAO/IATA Class:** 3  
 · **UN/ID Number:** 1263  
 · **Label:** 3  
 · **Packaging group:** II  
 · **Proper shipping name:** PAINT

## 15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xn Harmful  
 F Highly flammable  
 N Dangerous for the environment

· **Hazard-determining components of labelling:**

Petroleum distillate  
 Naphtha (petroleum), solvent-refined light

· **Risk phrases:**

11 Highly flammable.  
 38 Irritating to skin.  
 50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
 65 Harmful: may cause lung damage if swallowed.  
 67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

9 Keep container in a well-ventilated place.  
 16 Keep away from sources of ignition - No smoking.  
 20 When using do not eat or drink.  
 33 Take precautionary measures against static discharges.  
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 57 Use appropriate container to avoid environmental contamination.

(Contd. on page 6)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.09.2008

Revision: 31.07.2008

**Trade name: Anti-Static Panelwipe**

(Contd. of page 5)

- **National regulations:**

- **Technical instructions (air):**

Class	Share in %
NK	100.0

- **Waterhazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant R-phrases**

11 Highly flammable.

38 Irritating to skin.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

67 Vapours may cause drowsiness and dizziness.

- **Department issuing MSDS:** Product safety department: LABORATORY

- **Contact:** Health & Safety Officer

GB