according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

# 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : LECHLEROID L THINNER

Product code : L0000552

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Chemical nature : Liquid

### 1.3 Details of the supplier of the safety data sheet

Company : Lechler SpA

Via Cecilio 17 22100 Como

 Telephone
 : +39031586111

 Telefax
 : +39031586206

 E-mail address
 : safety@lechler.eu

Responsible/issuing person

## 1.4 Emergency telephone number

Tel. +39-031-586301 Fax +39-031-586299

This telephone number is available during office hours only.

### 2. Hazards identification

# 2.1 Classification of the substance or mixture

### Classification (67/548/EEC, 1999/45/EC)

Highly flammable R11: Highly flammable.

Harmful R65: Harmful: may cause lung damage if

swallowed.

R48/20: Harmful: danger of serious damage to health by prolonged exposure through inhalation. R63: Possible risk of harm to the unborn child.

Toxic to Reproduction Category 3 R63: Possible risk of Irritant R38: Irritating to skin.

R41: Risk of serious damage to eyes.

R41: Risk of serious damage to eyes. R67: Vapours may cause drowsiness and

dizziness.

## 2.2 Label elements

### Labelling according to EC Directives (1999/45/EC)

Hazard pictograms





# LECHLEROID L THINNER

Version 2.12	Revision Date 04.04.2012	Print Date 23.04.2012

	Highly Harm flammable	ful
R-phrase(s)	R11 R38 R41 R48/20	Highly flammable. Irritating to skin. Risk of serious damage to eyes. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
	R63 R65	Possible risk of harm to the unborn child. Harmful: may cause lung damage if swallowed.
	R67	Vapours may cause drowsiness and dizziness.
S-phrase(s)	S 9 S16	Keep container in a well-ventilated place. Keep away from sources of ignition - No smoking.
	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S33	Take precautionary measures against static discharges.
	S36/37/39	Wear suitable protective clothing, gloves and eye/face protection.
	S62	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Hazardous components which must be listed on the label:

108-88-3 toluene

# 2.3 Other hazards

None known.

No hazards resulting from the material as supplied. The information required is contained in this Material Safety Data Sheet.

# 3. Composition/information on ingredients

# 3.2 Mixtures

Chemical nature : Liquid

# Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration [%]
toluene	108-88-3 203-625-9 01- 2119471310- 51	F; R11 Repr.Cat.3; R63 Xn; R48/20-R65 Xi; R38 R67	Flam. Liq. 2; H225 Repr. 2; H361d Asp. Tox. 1; H304 STOT RE 2; H373 Skin Irrit. 2; H315 STOT SE 3; H336	>= 30 - < 50
2-methylpropan-1-ol	78-83-1 201-148-0 01-	R10 Xi; R37/38-R41 R67	Flam. Liq. 3; H226 STOT SE 3; H335, H336	>= 12,5 - < 20

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

	2119484609- 23		Skin Irrit. 2; H315 Eye Dam. 1; H318	
4-hydroxy-4- methylpentan-2-one	123-42-2 204-626-7 01- 2119473975- 21	Xi; R36	Eye Irrit. 2; H319	>= 5 - < 7
acetone	67-64-1 200-662-2	F; R11 Xi; R36 R66 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 20 - < 30
isobutyl acetate	110-19-0 203-745-1 01- 2119488971- 22	F; R11 R66	Flam. Liq. 2; H225	>= 12,5 - < 20

For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. First aid measures

### 4.1 Description of first aid measures

General advice : When symptoms persist or in all cases of doubt seek medical

advice.

Never give anything by mouth to an unconscious person.

If inhaled : Remove to fresh air.

Keep patient warm and at rest.

If breathing is irregular or stopped, administer artificial

respiration.

If unconscious place in recovery position and seek medical

advice.

In case of skin contact : Take off all contaminated clothing immediately.

Wash skin thoroughly with soap and water or use recognized

skin cleanser.

Do NOT use solvents or thinners. Put shower on working place

In case of eye contact : Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart.

Seek medical advice.

Put eye-washer on working place

Remove contact lenses.

If swallowed : If accidentally swallowed obtain immediate medical attention.

Do NOT induce vomiting.

Keep at rest.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

Seek medical advice.

## 5. Fire-fighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Keep containers and surroundings cool with water spray.

Unsuitable extinguishing

media

: Do NOT use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

: As the product contains combustible organic components, fire

will produce dense black smoke containing hazardous

products of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

### 5.3 Advice for firefighters

Special protective equipment

for fire-fighters

Wear self contained breathing apparatus for fire fighting if

necessary.

### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Solvent vapours are heavier than air and may spread along

floors.

Ensure adequate ventilation.
Use personal protective equipment.
Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Ventilate the area.

#### **6.2 Environmental precautions**

Environmental precautions : Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 6.3 Methods and materials for containment and cleaning up

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

Methods for cleaning up : Clean with detergents. Avoid solvents.

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Pick up and transfer to properly labelled containers.

Clean contaminated surface thoroughly.

Dam up.

Soak up with inert absorbent material and dispose of as

hazardous waste.

#### 6.4 Reference to other sections

Refer to section 15 for specific national regulation.

### 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Avoid exceeding of the given occupational exposure limits

(see section 8).

Use only in area provided with appropriate exhaust ventilation.

Avoid contact with skin, eyes and clothing.

Smoking, eating and drinking should be prohibited in the

application area.

Avoid inhalation of vapour or mist. For personal protection see section 8.

Thoroughly mix before using

After using, store in a well-sealed container

Advice on protection against

fire and explosion

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than

the occupational exposure limits.

When transferring from one container to another apply earthing measures and use conductive hose material.

No sparking tools should be used.

The product should only be used in areas from which all naked lights and other sources of ignition have been

excluded. No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Observe label precautions.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Solvent vapours are heavier than air and may spread along

floors.

Vapours may form explosive mixtures with air.

Electrical installations / working materials must comply with

the technological safety standards.

Keep away from sources of ignition - No smoking.

Store between 5 ° an 35 °C in a dry, well ventilated place away from source of heat, ignition and direct sunlight. Store in accordance with the particular national regulations.

Advice on common storage : Keep away from oxidising agents and strongly acid or alkaline

materials.

according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

### 7.3 Specific end uses

: This information is not available.

# 8. Exposure controls/personal protection

### 8.1 Control parameters

Components	CAS-No.	Value	Control parameters	Update	Basis
toluene	108-88-3	TWA	50 ppm 192 mg/m3	2006-02-09	2006/15/EC
Further information	: skin: Ident	skin: Identifies the possibility of significant uptake through the skinIndicative			cative
		STEL	100 ppm 384 mg/m3	2006-02-09	2006/15/EC
Further information	: skin: Identifies the possibility of significant uptake through the skinIndicative				
2- methylpropan- 1-ol	78-83-1		50 ppm 152 mg/m3		
4-hydroxy-4- methylpentan- 2-one	123-42-2		50 ppm 238 mg/m3		
acetone	67-64-1	TWA	500 ppm 1.210 mg/m3	2000-06-16	2000/39/EC
Further information	: Indicative				
isobutyl acetate	110-19-0		150 ppm 713 mg/m3		

DNEL

toluene : End Use: Industrial use

Exposure routes: Inhalation

Potential health effects: Local effects

Value: 24,48 mg/m3

**PNEC** 

toluene : Marine water

Value: 0,00034 mg/l

# 8.2 Exposure controls

# Personal protective equipment

Respiratory protection : Apply technical measures to comply with the occupational exposure

limits.

This should be achieved by a good general extraction and -if practically feasible- by the use of a local exhaust ventilation. If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short

period of time.

according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

Hand protection : For prolonged or repeated contact use protective gloves.

> Barrier creams may help to protect the exposed areas of skin, they should however not be applied once exposure has occurred.

Skin should be washed after contact.

Wash your hands and put on barrier creams

Eye protection Chemical resistant goggles must be worn.

Skin and body protection Skin should be washed after contact.

Working clothes must not consist of textiles, which show a

dangerous melting behaviour in case of fire. Personnel should wear protective clothing Workers should wear antistatic footwear.

**Environmental exposure controls** 

General advice Try to prevent the material from entering drains or water courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

# 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

: 0 - < 21 °C Flash point

: 1,000 hPa Vapour pressure

at 50 °C

Density : 0,8411 g/cm3

9.2 Other information

Volatile organic compounds : 100 %

(VOC) content

## 10. Stability and reactivity

### 10.1 Reactivity

None reasonably foreseeable.

#### 10.2 Chemical stability

The product is chemically stable.

# 10.3 Possibility of hazardous reactions

: No dangerous reaction known under conditions of normal use. Hazardous reactions

10.4 Conditions to avoid

Conditions to avoid : Our products were manufactured in compliance with safety

standards to avoid decomposition and degrading under the

defined conditions.

Taking the product type into account, it is advisable to leave the product in its original packaging thus avoiding transferring

according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

it.

10.5 Incompatible materials

Materials to avoid : Keep away from oxidising agents, strongly alkaline and

strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

Hazardous decomposition

products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

### 11. Toxicological information

#### 11.1 Information on toxicological effects

#### **Product**

Acute inhalation toxicity : Exposure to component solvent vapours concentration in excess of

the stated occupational exposure limit may result in adverse health effects., Such as: mucous membrane irritation, respiratory system irritation, adverse effects on kidney, liver and central nervous system. Symptoms and signs: headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases loss of consciousness., Inhalation of airborne droplets may cause irritation of the respiratory

tract.

Skin corrosion/irritation : Repeated or prolonged contact with the mixture may cause removal

of natural fat from the skin resulting in desiccation of the skin., The

product may be absorbed through the skin.

Serious eye damage/eye

irritation

: The liquid splashed in the eyes may cause irritation and reversible

damage.

Further information : The concentration of each substance should be borne in mind in

assessing the toxicological effects deriving from the preparation.

# 12. Ecological information

#### 12.1 Toxicity

Toxicity to fish

Remarks:

No data is available on the product itself.

### 12.2 Persistence and degradability

Biodegradability : Remarks:

no data available

according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

#### 12.3 Bioaccumulative potential

Bioaccumulation : Remarks:

no data available

12.4 Mobility in soil

Mobility : Remarks:

no data available

### 12.5 Results of PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT)., This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6 Other adverse effects

Additional ecological

information

: There is no data available for this product.

### 13. Disposal considerations

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

Disposal together with normal waste is not allowed. Special

disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

# 14. Transport information

**ADR** 

UN number : 1263
Transport hazard class(es) : 3
Packing group : II
Classification Code : F1
Hazard identification No : 33
Labels : 3
Environmentally hazardous : no

IATA

UN number : 1263

Description of the goods : 
Class : 3

Packing group : II

Labels : 3

Environmentally hazardous : no

**IMDG** 

UN number : 1263

Description of the goods : Class : 3

# LECHLEROID L THINNER

Version 2.12 Revision Date 04.04.2012 Print Date 23.04.2012

Packing group : II
Labels : 3
EmS Number 1 : F-E
EmS Number 2 : S-E

Marine pollutant : no

# 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Risk classification according :

to VbF

: Al

Water contaminating class

(Germany)

: water endangering

Other regulations : The information provided in this Safety Data Sheet is correct

to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be

considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# 15.2 Chemical Safety Assessment

No data is available on the product itself.

# 16. Other information

### Full text of R-phrases referred to under sections 2 and 3

R10	Flammable.
R11	Highly flammable.
R36	Irritating to eyes.
D27/29	Irritating to requiret

R37/38 Irritating to respiratory system and skin.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through

inhalation

R63 Possible risk of harm to the unborn child.
R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

### Full text of H-Statements referred to under sections 2 and 3.

according to Regulation (EC) No. 453/2010

# LECHLEROID L THINNER

Version 2.12	Revision Date 04.04.2012	Print Date 23.04.2012
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H336	May cause drowsiness or dizziness.	
H361d	Suspected of damaging the unborn child.	
H373	May cause damage to organs through prolonged or repe	eated exposure.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.